

The Legendary Polivac Range

Thank you for considering Polivac.

Whatever you clean, now or in the future, if you're looking for long life and reliability, there's a machine in our range ideal for your purposes.

Listed inside are the site types and floor surfaces best suited to each of our models.



Why you can rely on your new Polivac to give you years of trouble-free service.



In a recent nation-wide competition we found a Polivac C25 in original working condition ...and still on-the-job after 40 years - grinding concrete floors!

Over 60 years of knowledge created the Polivac 'Legend'. Today, that expertise and quality is built into every one of our machines.

Over 60 years of experience and listening to what Cleaners want have gone into your new machine.

Over 60 years of understanding that you need not only above - average performance but also a machine you can trust to be reliable, easy-to-service and that will last for many trouble-free years.

Thankyou for considering Polivac.

*Please go to our website www.polivac.com.au for details on 'The Legend'.

Behind every Polivac there are legendary people...



Polivac is an all Australian-owned company manufacturing Australian products.

POLISH

Our latest C25

Everyone who works here takes a great deal of pride in knowing that Polivac is the Number One manufacturer of Australian-designed and built commercial cleaning equipment exported worldwide.

That pride shows in the high build quality of our machines.

Its why they last so long!
Its why they are so reliable!!
Its why we're Number One!!!

Your Polivac is the best machine to ever come off our assembly line.

Its because a dedicated group of Australians have done everything possible to ensure your Polivac will perform better than you expect, will last longer than you can imagine and will be as reliable as you want it to be day in, day out - for years!

So, when you start up your new machine, you can be sure that our reputation is only as good as every single one of the machines we sell.

Please see the next page for the Index.





The Complete Polivac Range Name Type Page

Stingray	50cm Ultra High Speed Straight-Line Burnisher 1
Dominator	40cm Ultra High Speed Straight-Line Burnisher 1
PV25	40cm Suction Polisher
C25	40cm Non-Suction Polisher
C27	40cm Non-Suction Scrubber and Carpet Shampooer2
C27RS	40cm Non-Suction Scrubber and Carpet Shampooer with VCGO16 with Tank
A23	30cm Mini-Scrubber 3
Wombat	Canister Dry Vacuum
Koala	Backpack Vacuum3
Gas 20"	50cm Gas-powered High Speed Burnisher 4
Gas 24"	60cm Gas-powered High Speed Burnisher 4
Gas 28"	70cm Gas-powered High Speed Burnisher 4
Gas 38"	100cm Gas-powered High Speed Burnisher 5
ST2100	51cm Gas-powered Stripping Machine 5
Rider 103	103cm Ride-on Ultra High Speed Gas-powered Burnisher 5
Shark	Electric Low Profile Scrubber
Gas Shark	Gas-powered Low Profile Scrubber 6
1700E	Automatic Floor Scrubber
Sandivac	Slow and High Speed Floor Sanding Machines 7
Predator	Mk I, Mk II, Mk III High and Low Pressure Carpet Extractors 7

Stingray 50cm Ultra High Speed Straight-Line Burnisher



Best for:

Larger areas in:

- Schools
 Hospitals
- Basketball courts Offices
- Building sites Retail areas

Recommended surfaces:

- Vinyl
 Terrazzo
- Marble Polished Concrete
- Timber floors

Features:

- Designed to produce fast-set, full gloss floors in smaller areas
- Contour-following system
- Ergonomic, fully adjustable handle and safety switches
- Simple to service
- Powder-coated base for easy cleaning and maximum durability
- Blackline bumper
- Warranty 2 years on motor. 1 year on parts

Technical Specifications:

MOTO

CMG 1.6 kw (2.1 hp) 50 hz, 240 volt, 9.9 amps

VACUUM Single stage, active centrifugal

DRIVE SYSTEM Belt
PAD SPEED 1500 rpm
PAD PRESSURE 10 kg (22 lbs)
PAD SIZE 50 cm
HANDLE Fully height adjustable

IFAD

DIMENSIONS WITHOUT HANDLE 86 cm (33.9") L x 60 cm (23.6") W

x 39 cm (15.4") H

DIMENSIONS WITH HANDLE

1117.5 cm (46.3") L x 44.5 cm (17.5") W x 10 cm (3.9") H

15 metre, heavy-duty, flexible, safety rubber

WEIGHT

46 kg (101.2 lbs)

FINISH

Industrial enamel and powder-coated.

Dominator

40cm Ultra High Speed Straight-Line Burnisher



Best for:

APPROVED

Larger areas in:

- Schools
 Hospitals
- Basketball courts Offices
- Building sites Retail areas

Recommended surfaces:

- Vinyl
 Terrazzo
- Marble Polished Concrete
- Timber floors

Features

- Designed to produce fast-set, full gloss floors
- Contour-following system
- Ergonomic, fully adjustable handle and safety switches
- Simple to service
- Powder-coated base for easy cleaning and maximum durability
- Blackline bumper
- Warranty 2 years on motor. 1 year on parts

Technical Specifications:

MOTO

CMG 1.6 kw (2.1 hp) 50 hz, 240 volt, 9.9 amps

VACUUM Single stage, active centrifugal

DRIVE SYSTEM Belt
PAD SPEED 1700 rpm
PAD PRESSURE 10 kg (22 lbs)
PAD SIZE 40 cm

HANDLE Fully height adjustable

LEAD

15 metre, heavy-duty, flexible, safety rubber DIMENSIONS WITHOUT HANDLE 70 cm (27.6") L x 50 cm (19.7") W x 40 cm (15.7") H

DIMENSIONS WITH HANDLE

155 cm (61") L x 44.5 cm (17.5") W x 10 cm (3.9") H

WEIGHT

42 kg (92.4 lbs)

FINISH

Industrial enamel and powder-coated.

POLIVAC



The Polivac Conservation Cycle

Protecting the environment through intelligent design

- **O** Responsible design
- Highest possible build quality
- High efficiency operation
- C Reliability and long life
- Recyclability

At Polivac, our commitment to the environment is based on ensuring responsible attitudes and practices in the development of commercial cleaning equipment which significantly contributes to the conservation of resources combined with minimal energy use and maximum utilisation.





You can rely on Polivac's legendary long life and reliability.

'The Legend' lives on in every machine we make. Exceptionally long life is built into every one of our products.

The proof is out there in the thousands of **Polivacs and millions** of hours of reliable service and high performance.

Our machines are still in operation on thousands of sites around Australia, in **New Zealand and** overseas after years and even decades of service.

If your equipment keeps letting you down, you can be confident that your new Polivac wont!

Suction Polisher



Best for:

- Hospitals
- Schools
- Hotel fovers
- · Polished concrete
- Basketball courts

Recommended surfaces:

- Vinyl
- Terrazzo
- Marble
- Polished concrete
- Timber

Features:

- The world's first suction polisher
- · Proven reliability and long life
- The industry workhorse
- Offset motor for smooth start and balanced handling
- Height adjustable handle suits most Operators
- Suction for dust control
- Warranty 2 years on motor and gearbox. 1 year on parts

Technical Specifications:

2 pole, 1.4 kw (1.88 hp), 50hz, 220-240 volts (110 volt motor available)

BRUSH SPEED 392 rpm BRUSH / PAD SIZE 40 cm PAD HOLDER SIZE 40 cm

VACUUM 300 watt max.

MACHINE WEIGHT

46 kg (101.2 lbs) (Inc brush and handle)

Sealed, oil-filled 'Polidrive' single reduction helical gear **HANDLE** Height adjustable

LEAD 15 metre, heavy-duty, flexible, safety, rubber

BODY

Industrial enamel and powder-coated cast aluminium alloy

FITTED WITH

Quick Release System

Non-Suction Polisher



Best for:

- Hospitals
- Schools
- Hotel fovers
- · Polished concrete
- Basketball courts

Vinyl

- Terrazzo
- Marble
- Polished concrete
- Timber

Features:

· Proven reliability and long life

Recommended surfaces:

- · The industry workhorse
- Offset motor for smooth start and balanced handling
- Height adjustable handle suits most Operators
- Warranty 2 years on motor and gearbox. 1 year on parts

Technical Specifications:

2 pole, 1.4 kw (1.88 hp), 50hz, 220-240 volts (110 volt motor available) BRUSH SPEED 392 rpm

BRUSH / PAD SIZE 40 cm PAD HOLDER SIZE 40 cm

MACHINE WEIGHT 41 kg (91.3 lbs) (Inc brush and handle) **GEARBOX**

Sealed, oil-filled 'Polidrive' single reduction helical gear **HANDLE** Height adjustable

15 metre, heavy-duty, flexible, safety, rubber

BODY

Industrial enamel and powder-coated cast aluminium alloy FITTED WITH

Quick Release System

C27 Scrubber

C27RS Rotary Shampoo



Best for:

- · General hard floor maintenance
- Carpet encapsulation
- Carpet shampooing
- Bonnet cleaning
- Wet areas bathrooms, pools, toilets

Recommended surfaces:

- Carpet
- Concrete (Polished)
 Terrazzo
- Granite

Vinyl

Features:

- Proven scrubber based on PV25 Suction Polisher design
- The industry workhorse
- Offset motor for smooth start and balanced handling
- · Balanced for even surface finish • Height adjustable handle - suits
- most Operators Warranty - 2 years on motor and
- gearbox. 1 year on parts.

Technical Specifications:

4 pole, 1.12 kw (1.5 hp), 50hz, 220-240 volts (110 volt motor available)

BRUSH SPEED 392 rpm BRUSH / PAD SIZE 40 cm

PAD HOLDER SIZE 40 cm MACHINE WEIGHT

41 kg (91.3 lbs) (Inc brush and handle) **GEARBOX**

Sealed, oil-filled 'Polidrive' single reduction helical gear **HANDLE** Height adjustable

LEAD 15 metre, heavy-duty, flexible,

safety, rubber **BODY**

Industrial enamel and powder-coated cast aluminium alloy FITTED WITH

Quick Release System TANK Optional as VCGO16 for

C27RS 12 litres (2.64 gals) **WEIGHT SET**

Optional. Up to 24 kg (52.8 lbs)

A23 Mini-Scrubber



Best for:

- Bathrooms
- Toilets
- Home polishing

Recommended surfaces:

- Polished Concrete
- Marble
- Timber floors
- Granite

• Lightweight - highly manoeuvrable

Terrazzo

- Powerful offset motor for smooth start and balanced handling
- · Balanced for even surface finish • Height adjustable handle - suits
- most Operators Warranty - 2 years on motor and gearbox. 1 year on parts

Technical Specifications:

MOTOR

4 pole, 0.56 kw (0.75 hp), 50hz, 220-240 volts (110 volt motor available) Also available in high speed

BRUSH SPEED 187 rpm BRUSH / PAD SIZE 30 cm (Clutch system) PAD HOLDER SIZE 30 cm (Clutch system)

MACHINE WEIGHT 32 kg (70.4 lbs) (Inc brush and handle) **GEARBOX**

Sealed, oil-filled 'Polidrive' single reduction helical gear

HANDLE Height adjustable **LEAD**

15 metre, heavy-duty, flexible, safety, rubber **BODY**

Polypropylene FITTED WITH Clutch System

Wombat **Dry Canister Vac**



· All commercial and domestic carpet and hard floor applications

Recommended surfaces:

All carpets and hard floors

Features:

- · Tough rotationally moulded body
- · 3 wheels for maximum manoeuvrability
- Simple and quick to service
- Optional powerhead socket
- Warranty: 1 year on motor and parts 10 years on body

Technical Specifications:

MOTOR

1100 watt, 220-240 volt. 50 hz 110 volt, 400 hz also available 850 watt Domel motor optional

LEAD 15 metre, heavy-duty, flexible, safety rubber

Double swivel. 1.8m 3.2 cm diameter. Crushproof.

SHIPPING WEIGHT 10 kg WEIGHT 6.5 kg DUSTBAG CAPACITY

Approx. 8 litres **AIRFLOW**

45.5 litres per second

12.7 cm (5") high tensile nylon STANDARD ACCESSORIES

2 piece wand set. Gulper floor tool. Crevice tool. Furniture brush. Hose assembly.

OPTIONAL Powerhead Paper bags also available

COLOURS Grey. Red. Yellow. Blue

Koala **Backpack Vacuum Cleaner**



Best for:

- · All commercial and domestic carpet and hard floor applications
- General trades cleaning

Recommended surfaces:

· All carpets and hard floors

Features:

- 1100 or 850 watt Domel motor
- Soft foam harness
- Lead restraint
- · Ultra-tough body parts. 10 years on body.

MOTOR

110 volt, 400hz also available

APPLICATION Dry vacuum

Power outlet for optional powerhead STANDARD ACCESSORIES

2 piece wand set. Gulper floor tool. Crevice tool.

OPTIONAL Powerhead

- Large capacity dustbag
- Illuminated power switch
- Warranty: 1 year on motor and

Technical Specifications:

1100 watt, 240 volt. or 850 watt

15 metre, heavy-duty, flexible, safety rubber **DUSTBAG** 6 litres capacity AIRFLOW 52.12 litres per second

AUX. POWFR

Round brush. Hose assembly

AUSTRALIAN MADE

POLIVAC

Proudly Australian made

Every day that goes by, we are seeing more and more imports flooding the market. Some suitable for the tough conditions of Australian commercial cleaning, many not.

At Polivac we are fiercely proud that we are an all-Australian owned Company and that we design and manufacture equipment right here in Australia - for **Australian conditions!**

'Aussie-tough' built into every Polivac to last longer when the others have given up.





Company ISO 9002 Lic. QEC 10553 Standards Australia



Quality internationally since 1997

Compliant with Australian Standard AS/NZS ISO 9001/ 2008

Every Polivac machine is built to **'Export Quality'.Its** your guarantee of the highest quality performance and manufacturing standards

...and our commitment to excellence.

Gas 20" Gas-powered High Speed Burnisher



Best for:

- Shopping centres Airports
- Supermarkets Offices
- Polished concrete Schools

Recommended surfaces:

- Vinyl Granite
- Marble Polished concrete
- Most ultrahard floors

Features:

- 2,000 sq. metres per hour coverage
- Highly manoeuvrable
- High performance 2500rpm
- Single stage active vac system with floating skirt Push-button electric start
- Fully adjustable handle
- Bias control
- Powder-coated steel base
- Easy access to belts and pulleys
- Warranty 1 year on motor and parts

Technical Specifications:

11.19 kw (15 hp) V-twin version or 12.68 kw (17 hp) Kawasaki

PAD SPEED 2500 rpm WEIGHT 95 kg

DRIVE Belt

VACUUM Single stage, active centrifugal with metal impeller

GAS BOTTLE

NOISE 89 db

Push button electric

FINISH

Industrial enamel and powder-coated.

Gas 24" Gas-powered **High Speed Burnisher**



Best for:

- Airports
 Shopping centres
- Supermarkets
 Offices
- Polished concrete
 Schools

Recommended surfaces:

- Vinyl
 Granite
- Marble Polished concrete
- Most ultrahard floors

Features:

- 2,700 sq. metres per hour coverage
- Contour following system
- Ultra-reliable Honda or Kawasaki power
- Key electric start
- Fully controllable clutch · Single stage vac system
- Adjustable contoured handle with safety triggers
- Convertible to 28" with different

Technical Specifications:

head, pad, pulleys and skirt Warranty - 1 year on motor and

parts

Best for:

- Airports
 Basketball courts
- Shopping centres

Gas 28"

Gas-powered

High Speed Burnisher

- Sports centres Supermarkets
- General large area burnishing

Recommended surfaces:

- · Vinvl · Concrete · Granite
- Marble Polished concrete
- Terrazzo
 Most ultrahard floors

Features:

- · More than 3,000 sq. metres per hour coverage
- · Contour following system • Ultra-reliable Honda or Kawasaki
- power
- Total Dust Control System Reinforced, powder-coated,
- steel body Warranty - 1 year on motor and
- parts

Best for:

Gas 38"

Gas-powered

High Speed Burnisher

- Airports
 Shopping centres
- Supermarkets
 Offices
- Polished concrete
 Schools

Recommended surfaces:

- Vinyl Granite
- Marble
 Polished concrete
- · Most ultrahard floors

Features:

- More than 4,000 sq. metres per
- Contour following system
- Ultra-reliable Kohler power
- · Key electric start
- Single stage vac system
- · Adjustable contoured handle with safety triggers
- Warranty 1 year on motor and parts

Technical Specifications:

Recommended surfaces: • Vinyl • Terrazzo • Marble

ST2100

51 cm Gas-powered

Stripping Machine

Polished concrete
 Timber

Garages
 Service areas

Supermarkets
 Warehouses

Features:

Best for:

- · Removable weight system
- No-splash, right-up-to-the-wall stripping
- Ultra-reliable Honda power
- · Push button fast start
- · Splash guard protects pulleys • Warranty - 1 year on motor and parts

Technical Specifications:

DRIVE Belt

SPEED 350-700 rpm

HANDLE Adjustable

BATTFRY 12 volt, 20 amp hour, gel sealed **OPTIONAL** Gas bottle. 9kg

x 103 cm (40.6") H (71 cm (28")

180 kg including packing

Technical Specifications:

DRIVE PADS 3 x 380 mm pad holder SPEED 1800 rpm

VACUUM

Single stage, active centrifugal

DRIVE Belt for pads, chain for drive WEIGHT 260 kg (573 lbs)

BATTERY TYPE 12 volt 33 amp hour, wet, sealed, heavy-duty

Rider 103 103 cm Ride-on **Ultra High Speed Gas-powered Burnisher**



Best for:

- Airports
 Shopping centres
- General large area burnishing

Recommended surfaces:

- · Concrete · Granite
- Marble Polished concrete
- Terrazzo Most ultrahard floors

Features:

- 7000 sq. metres per hour coverage Highly manoeuvrable
- Triple pads for total coverage High Operator and Public safety
- features · Warranty - 1 year

Kohler 14.9 kw (20 hp) Gas

with plastic impeller

NOISE LEVEL 90 db

GAS BOTTLE

9 kg (Optional extra)

Looking after you all across the world **Distributor** network.

Our products are backed by local warehousing of parts and spares through over 120 Distributors across Australia and New Zealand ...and in more than 10 countries worldwide.

No waiting for imported parts.

Fast turnaround for servicing.

Minimum downtime.

There's an Authorised **Polivac Distributor**

Lower operating costs.

near you wherever you are.

9.69 kw (13 hp) Honda or

BATTERY TYPE 12 volt, 20 amp hour, gel, sealed

9 kg (Optional extra)

START

11.2 kw (15 hp) Honda or 12.68 kw (17 hp) Kawasaki V-Twin

PAD SPEED 2500 rpm WEIGHT 110kg

DRIVE Belt VACUUM Single stage, active centrifugal with metal impeller

12 volt, 20 amp hour, gel, sealed **GAS BOTTLE**

9 kg (Optional extra)

NOISE 89 db

BATTERY TYPE

START Key electric

FINISH Industrial enamel and powder-coated.

Technical Specifications:

11.2 kw (15 hp) Honda or 12.68 kw (17 hp) Kawasaki V-Twin

PAD SPEED 2500 rpm WEIGHT 110kg

DRIVE Belt VACUUM Single stage, active

12 volt, 20 amp hour, gel, sealed **GAS BOTTLE** 9 kg (Optional extra)

centrifugal with metal impeller BATTERY TYPE

NOISE 89 db

Kohler 14.89 kw (20hp) PAD SPEED 1800 rpm

SHIPPING WEIGHT 170 kg (including packing) MACHINE WEIGHT 140 kg

DRIVE Belts and pulleys VACUUM Single stage, active

centrifugal with metal impeller **BATTERY TYPE**

long life **GAS BOTTLE** 9 kg (Optional extra)

DIMENSIONS 140 cm (55.1") L x 112 cm (44.1") W

12 volt, 33 amp hour, wet, sealed

x 90cm (35.4") H **FINISH**

Industrial enamel and powder-coated.

Honda 9.69 kw (13 hp). 4 stroke, overhead valve, fitted with oil alert system

BRUSHES Tynex abrasive

DIMENSIONS 160 cm (63") L x 63.5 cm (25") W

when handle is folded down) SHIPPING WEIGHT

Machine and enclosed weight set

START

FINISH

Key electric

Industrial enamel and

powder-coated.





Proof of performance

We've been designing and building commercial cleaning equipment for over 60 years.

Developing.

Refining.

Listening.

Innovating.

Over 60 years of building what you want.

Over 60 years of ensuring the greater efficiency and longer life you can rely on is built-in to every Polivac.

Tomorrow we'll get another piece of feedback, another good suggestion from our Customers which we'll put into future machines to come off the line.

Today, as we move on towards celebrating well over 60 years as Australia's premier cleaning equipment manufacturer, we are still listening.

Shark Low Profile **Electric Scrubber**



Best for:

- Supermarkets
- Commercial kitchens
- Factories Warehouses

Recommended surfaces:

- Vinyl
 Terrazzo
- Marble
 Polished Concrete
- Timber Floors

Features:

- Low profile, long nose for undergondola or shelf scrubbing or stripping
- Quick release Tynex brush
- Ergonomic control and handle adjustment
- Powder-coated steel base.
- Warranty 2 years on motor. 1 year on parts

Technical Specifications:

MOTOR

4 pole, 1.49 kw (2 hp), 220-240 volt, 50 hz

BRUSH SPEED 237 rpm

BRUSH 40 cm (Quick release) Tynex **DRIVE** Belt

LEAD 15 metre, heavy-duty, flexible, safety rubber

DIMENSIONS

101cm (39.8") L x 41cm (16.1") W

x 96 cm (37.8") H SHIPPING WEIGHT

57 kg (Including handle, brush or pad) **OPTIONAL**

(i) 3kg round disc weights (ii) Drive pads

Gas Shark Low Profile **Gas-powered Scrubber**



Best for:

- Supermarkets
- Commercial kitchens
- Factories
 Warehouses

Recommended surfaces:

- Vinyl
 Terrazzo
- Marble
 Polished Concrete
- Timber Floors

Features:

- Power 9.69 kw (13 hp)
- · Low profile, long nose for undergondola or shelf scrubbing or stripping
- Tynex brush
- Ergonomic control and handle adjustment
- · Powder-coated steel base.
- · Warranty 2 years on motor. 1 year on parts

Technical Specifications:

MOTOR

Honda 9.69 kw (13 hp) BRUSH SPEED 936 rpm

BRUSH 50 cm Tynex

DRIVE Belt

DIMENSIONS

140cm L x 50cm W x 220 cm H SHIPPING WEIGHT 57 kg (Including handle, brush or pad)

OPTIONAL

(i) Drive pads (ii) 9kg gas bottle

1700E Automatic Floor Scrubber



Best for:

- · Basketball courts · Building sites
- Factories Foyers Gymnasiums • Halls • Hospitals • Offices
- Nursing Homes
 Retail areas
- Supermarkets
- Wet areas bathrooms, pools, toilets

Recommended surfaces:

- Concrete Marble
- Polished concrete
 Terrazzo
- Timber floors Vinyl

Features:

- 750 sq. metres per hour coverage
- Maximum manoeuvrability turns 360 degrees in 1 metre
- · Sealed, oil-filled gearbox
- Long-lasting poly propylene tanks
- · Fingertip manual control system · Quick Release System
- · Warranty 2 years on motor. 10 years on tanks

Technical Specifications:

MOTOR

550 watt, 240 volt, 50 cycle, 4 pole capacitor start 110 volt motor also available

BRUSH SPEED 192rpm

PROPULSION Self-propelled

VACUUM 1100 watt, 2 stage, bypass, 240 volt, 50 cycle automatic actuating electric motor

SOLUTION Adjustable flow variable control with flow control on handle

Polypropylene with clear lids

LEAD

15 metre, heavy-duty, flexible, safety rubber

SOLUTION TANK 20 litres RECOVERY TANK 20 litres

Sandivac Rotary Sander



Best for:

· All commercial and domestic timber floors

Recommended surfaces:

Timber floors

Features:

- · Three machines in one: vacuum sander, stripper, scrubber
- · Complete ready-to-go package pad holder, pad and sanding disc
- Offset motor
- Counter balanced with fully adjustable handle
- Floating skirt
- · Large flow-through vac. channel
- Warranty 2 years on motor and gearbox. 1 years on parts

Technical Specifications:

MOTOR

BODY

SV25 1.1 kw (1.48hp), 50 hz, 240 volt, 4 pole, 7 amps SV30 1.5 kw (2.01hp), 50 hz, 240 volt, 2 pole, 9.8 amps

DRIVE 'Polidrive' Gearbox: Single reduction helical gears, with deepgrooved ballraces Sealed and oil-filled DRIVE PAD SPEED

SV25: 192 rpm SV30: 350 rpm DRIVE PAD SIZE 40 cm (15.7")

VACUUM 300 watt long-life motor with replaceable fan blades and large capacity collection bag

HANDLE Fully height adjustable

LEAD 15 metre, heavy-duty, flexible, safety rubber Aluminium alloy

Industrial enamel and FINISH powder-coating WEIGHT Machine: 38 kg (83.6 lbs)

Pad holder: 4 kg (8.8 lbs) Handle: 7 kg (15.4 lbs) Total machine: 49 kg (107.8 lbs)

Predator Low and High Pressure Carpet Extractor



Best for:

C

- All types of commercial and domestic carpets
- Flood recovery areas

Recommended surfaces:

· All types and grades of carpet

Features:

- Three models MkI, MkII, MkIII
- Totally portable, fully featured
- Spring mounted vac motors Controls protection
- Fully adjustable pressure
- Brass fittings and connectors
- 12" wand with 3 jet spray system · Electrical overload protection
- Constant hot water temperature
- Float cutout · Oilpath maintenance hour meter
- Liquid-filled pressure gauge • Self-illuminating button switches
- External pressure control
- Ergonomic design
- Hour meter • Warranty - 1 year on motor and parts. 10 years on body.

You can rely on Polivac's legendary long life and reliability!

Technical Specifications:

Mk I 100 psi

Optional extra: Autofill, auto empty Mk II 350 psi (Normal operating pressure) Optional extra: Autofill, auto empty Mk III 1000 psi

Optional extra: Autofill, auto empty

VACUUM SYSTEM

2 – 1100 watt, 3 stage bypass motors

PUMP Oilpath -1500 psi, driven by 0.56 kw (0.75 hp) motor with externally mounted push-button reset switch

PRESSURE GAUGE 0-16000 kpa liquid-filled

PRESSURE ADJUSTMENT Combined external controller / air

bleed valve

BODY Fibreglass with aluminium frame

WHFFLS Front: 2 non-marking lockable castors Rear: 2 pneumatic tyres

HANDLES 2 easy grip stainless steel

SWITCHES Push-button illuminating rockers

15 metre, heavy-duty, flexible, safety rubber

HEATER

Thermostatically controlled heater element

HOUR METER 0-9999 hours scale CAPACITIES Solution tank: 50 litres (11 gals.)

Recovery tank: 50 litres (11 gals.) STANDARD INCLUSIONS

7.5 metres (295.3") solutions hose 7.5 metres (295.3") vacuum hose Wand with 3 Jet, 30 cm (12") Spray System

OPTIONAL 15 metre hose

How to find your nearest **Authorised Polivac Distributor or** contact us.

POLIVAC

Please go to the back cover.











49 Henderson Street North Melbourne, Victoria AUSTRALIA 3051

Telephone: (613) 9329 0700 Fax: (613) 9329 7707 Email: polivac@polivac.com.au

www.polivac.com.au